# **LibMAS 09.50**

#### **Annex B**

Second Edition: January 2017

# MECHANICAL ON-SITE **ASSESSMENT FOR ACCREDITATION ACCEPTANCE TEST FORM**

#### **Responsible National entity:**

Libyan Mine Action Centre (LibMAC) mandated by the Ministry of Defence (MOD) Contact: LibMAC Deputy Director quality.assurance@lmac.gov.ly



2nd Edition: January 2017

#### NOTE:

This document is current at the date shown on this page. The Libyan Mine Action Standards (LibMAS) are subject to regular revision, so users should ensure that they are using the latest version of each document in the standards. The most recent versions of LibMAS are the versions that are posted on the LibMAS pages of the LibMAC website www.lmac.gov.ly

#### **Copyright notice**

This document has been written with reference to the International Mine Action Standards

In its current form, this document is © LibMAC Libya 2017 - All rights reserved.

# MECHANICAL ON-SITE ASESSMENT (ACCEPTANCE TEST) FORM

#### **GENERAL**

ASSESSING ORGANISATION  Organisation Name Position Departme  ASSESSING ORGANISATION  Organisation Name Position Departme  LOCATION  Area Nearest Village Task / ID Number  DURATION  Start Date Time Finish Date Time  Finish Date Time  CLIMATE  Wet Dry Dry Date Time  Under Time  CLIMATE  Wet Dry Dry Date Time  Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
ASSESSING ORGANISATION  Organisation Name Position Departme  LOCATION  Area Nearest Village Task / ID Number  DURATION  Start Date Time Time  Finish Date Time  CLIMATE  Wet Dry Dry Date Time  Under Time  Time  CLIMATE  Wet Dry Dry Date Time  Under Time  Time  Time  Purpose of Evaluation  Have relevant documents, e.g., specifications, pre-test information and test	ent / Unit
Organisation Name Position Department Depart	<u> </u>
Organisation Name Position Department Depart	
Organisation Name Position Department Depart	
Organisation Name Position Department Depart	
Organisation Name Position Department Depart	
LOCATION  Area   Nearest Village   Task / ID Number    DURATION  Start   Date   Time   Time    Finish   Date   Time    CLIMATE  Wet   Dry   Cold   Date    Mild   Warm   Date   Date    Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
LOCATION  Area   Nearest Village   Task / ID Number    DURATION  Start   Date   Time   Time    Finish   Date   Time    CLIMATE  Wet   Dry   Cold   Cold   Cold   Cold    Mild   Warm   Cold   Cold   Cold   Cold   Cold    Mild   Cold   Cold   Cold   Cold    Mild   Cold   Cold   Cold   Cold   Cold   Cold   Cold   Cold    Mild   Cold   Cold	ent / Unit
Area   Nearest Village   Grid reference   Task / ID Number    DURATION  Start   Date   Time   Finish   Date   Time    CLIMATE  Wet   Dry   Cold   Mild   Marm   Hot   Temp    Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Area   Nearest Village   Grid reference   Task / ID Number    DURATION  Start   Date   Time   Finish   Date   Time    CLIMATE  Wet   Dry   Cold   Mild   Marm   Hot   Temp    Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Area   Nearest Village   Grid reference   Task / ID Number    DURATION  Start   Date   Time   Finish   Date   Time    CLIMATE  Wet   Dry   Cold   Mild   Marm   Hot   Temp    Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Area   Nearest Village   Grid reference   Task / ID Number    DURATION  Start   Date   Time   Finish   Date   Time    CLIMATE  Wet   Dry   Cold   Mild   Marm   Hot   Temp    Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Area   Nearest Village   Task / ID Number    DURATION    Start   Date   Time   Time    Finish   Date   Time    CLIMATE    Wet   Dry   Dry	
Task / ID Number	
Task / ID Number	
Start Date Time  Finish Date Time  CLIMATE  Wet Dry Cold Mild Warm Hot Temp  Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
CLIMATE  Wet  Dry  Cold  Mild  Warm  Hot  Temp  Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
CLIMATE  Wet  Dry  Cold  Mild  Warm  Hot  Temp  Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Wet	
Cold Mild Warm Hot Temp  Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Cold Mild Warm Hot Temp  Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Mild Warm Hot Temp  Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Warm Hot Temp  Light and Sight Conditions: PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Hot	
Temp  Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Light and Sight Conditions:  PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
PURPOSE OF EVALUATION  Have relevant documents, e.g., specifications, pre-test information and test	
Have relevant documents, e.g., specifications, pre-test information and test	
been reviewed by the LibMAC?  Yes No N/A	

Remarks:

Has a Desk Assessment been completed by the LibMAC?	Yes No N/A
Remarks:	

#### **MACHINE IDENTIFICATION**

Make / Model	Engine No	Chassis No	Designated No

# **MACHINE CLASSIFICATION**

Class	Details	Confirmation
Category	Detonation	Yes 🗌 No 🗌
	Detection	Yes 🗌 No 🗌
	Ground Preparation	Yes 🗌 No 🗌
	Mine Protected Vehicle (MPV)	Yes 🗌 No 🗌
	Other (	Yes 🗌 No 🗌
Weight	Light: Up to 5 tonnes	Yes 🗌 No 🗌
	Medium: 5-20 tonnes	Yes 🗌 No 🗌
	Heavy: greater than 20 tonnes	Yes 🗌 No 🗌
Mode of Operation	From cabin	Yes 🗌 No 🗌
	Remote control	Yes 🗌 No 🗌
	Remote control & video monitor	Yes 🗌 No 🗌
Mode of Movement	Wheels	Yes 🗌 No 🗌
	Tracks	Yes 🗌 No 🗌
	Platform (fixed)	Yes 🗌 No 🗌
	Other (	Yes 🗌 No 🗌
Tool	Flail	Yes 🗌 No 🗌
	Tiller	Yes 🗌 No 🗌
	Roller	Yes 🗌 No 🗌
	Excavator	Yes 🗌 No 🗌
	Crusher	Yes 🗌 No 🗌
	Screen / sifter	Yes 🗌 No 🗌
	Strimmer	Yes 🗌 No 🗌
	Other (	Yes 🗌 No 🗌
Role	Detect – mines, ERW	Yes 🗌 No 🗌
	Detonate – mines, ERW	Yes 🗌 No 🗌
	Destroy – mines, ERW	Yes 🗌 No 🗌
	Remove – mines, ERW	Yes 🗌 No 🗌
	Remove – earth, rubble, vegetation, obstacles	Yes 🗌 No 🗌
	Apply – restoration, marking	Yes 🗌 No 🗌
	Incinerate – mines, ERW	Yes No No
	Remote Explosive Scent Tracing (REST)	Yes 🗌 No 🗌
	Other (	Yes 🗌 No 🗌
Operational	Non-hazardous ground	Yes 🗌 No 🗌
Deployment	Non-hazardous rubble	Yes 🗌 No 🗌
	Non-hazardous vegetation	Yes 🗌 No 🗌
	AP Hazardous ground	Yes 🗌 No 🗌
	AT Hazardous ground	Yes 🗌 No 🗌
	ERW Hazardous ground	Yes 🗌 No 📗
	AP Hazardous rubble	Yes 🗌 No 🗌

	AT Hazardous rubble	Yes 🗌 No 🗌
	ERW Hazardous rubble	Yes 🗌 No 🗌
	Other (	Yes 🗌 No 🗌
Capability to	AP Hazardous ground	Yes 🗌 No 🗌
<b>Traverse Over</b>	AT Hazardous ground	Yes 🗌 No 🗌
Specific Terrain	ERW Hazardous ground	Yes 🗌 No 🗌

#### **LEVEL OF PROTECTION**

Specification of Protection (Type, thickness)	Degree of Protection (location on machine)	Remarks

#### **MECHANICAL TEST AND EVALUATION (T&E)**

Category	Details
Performance	A test to establish whether the machine and its tool(s) is capable of performing the role for which it is intended under comparable and repeatable conditions and to evaluate the manufacturer's specifications.
Survivability	A test to verify that the machine survives the explosive forces used as design criteria.
Acceptance	A test to ensure that a machine is able to work in the environment where it is intended to be used.

#### **TESTS CONDUCTED**

Test	Tested by	Test Location	Test Date	Test Results
Performance				Pass  Fail
				Ongoing
Remarks:				
Survivability				Pass  Fail
				Ongoing
Remarks:				
Acceptance				Pass 🗌 Fail 📗
Test				Ongoing
Remarks:				

#### **SURVIVABILITY OF MACHINE**

Level	Condition	Action	Duration	APM Blast	APM Frag	ATM	ERW	OTHER	Unconfirmed
1	No incapacitation.	Nil.	N/A.						
Remarks:									
2	Temporary incapacitation.	Effect repairs on site.	Hours.						

Remarks:									
3	Temporary incapacitation. No structural damage.	Recovery to field workshop. Requires general components.	Days.						
Remarks:				•		•	•	•	
4	Semi permanent incapacitation. Light to medium structural damage.	Recovery to field workshop. Requires factory supplied sub-systems.	Weeks.						
Remarks:									
5	Destroyed beyond economic repair.	Recover to workshop. Salvage usable parts & systems.	N/A.						
Remarks:									
6	Other								
Remarks:				,		•	•	•	
SURVIVA	BILITY OF OCCUPA	<u>NTS</u>							
Level	Condition	<u>NTS</u> Action	Duration	APM Blast	APM Frag	ATM	ERW	OTHER	Unconfirmed
		<del></del>	Duration N/A	APM Blast	APM Frag	ATM	ERW	OTHER	Unconfirmed
Level	Condition	Action		APM Blast	APM Frag	ATM	ERW	OTHER	Unconfirmed
Level  1 Remarks:	Condition	Action Nil		APM Blast	APM Frag	ATM	ERW	OTHER	Unconfirmed
Level  1 Remarks:	Condition  No incapacitation.  Temporary loss of hearing. Light lacerations. Minor fractures of limbs. Not life	Action Nil	N/A	APM Blast	APM Frag	ATM	ERW	OTHER	Unconfirmed

Remarks:				
4	Partial/complete loss of hearing. Temporary/perma nent loss of sight. Severe multiple lacerations. Burst lung. Limbs completely severed. Multiple fractures. Life threatening.	Stabilisation & immediate casualty evacuation. Trauma surgery & amputations.	Months.	
Remarks:				
5	Instant Death.	N/A	N/A	
Remarks:				
6	Other			
Remarks:			•	

# **CLASSIFICATION FOR TESTS**

#### 1. Soil

Grade	Details
Α	Sand (only).
В	Gravel (only).
С	Topsoil (only).
D	Humus, loam, compact sand, hard & semi-hard soil covered in vegetation. Use of manual tools (shovel, pickaxe).
	Work with prodder in accordance with the rules.
Е	Dirt mixed with stone, dirt is prevailing, rare vegetation. Limestone, soft, easily crushed by demining machine tool. Work with prodder is difficult.
F	Stony terrain, stone plates with dirt in between, low vegetation in places.  Semi-hard stone.  Machine works in reduced depths.  Prodder could only be used in some places.
G	Specific conditions where the other classes are not applicable.  Difficult to work with the machine with acceptable result.  Describe below.

# 2. Vegetation

Grade	Details
Α	Low - Green or dry grass, thin or thick, weeds.
	Few low bushes up to 1 m high
В	Medium - Grass, weeds, individual bushes, medium to high density, 1-2

	m high.
	Few individual trees up to 10cm in diameter.
С	High - Bushes, weeds, grass. High density.
	Greater than 2m high. Individual trees with diameter greater than 10cm.
D	Specific conditions where the other classes are not applicable. <b>Describe</b>
	below.

#### 3. Terrain

Grade	Details
Α	Level.
В	Uneven.
С	Incline less than 30 degrees.
D	Incline greater than 30 degrees.
E	Specific conditions where the other classes are not applicable. <b>Describe</b>
	below.

#### 4. Climate

Grade	Details
Α	Sunny.
В	Cloudy.
С	Raining.
D	Dusty, sand storm.
Е	Specific conditions where the other classes are not applicable. <b>Describe</b>
	below.

# 5. Target

Grade	Details
Α	Anti-personnel (AP) mine.
В	Anti-tank (AT) mine.
С	Abandoned Exploded Ordnance (AXO).
D	Unexploded Ordnance (ERW).
E	Fibre Board.
F	Wooden Picket.
G	Dummy mine.
Н	Vegetation.
1	Other - <b>Describe below</b> .

#### 6. Mine / ERW Evidence

Grade	Details
Α	<b>Triggered (detonated)</b> – The firing chain or circuit has been completed.
В	Mechanically neutralised (untriggered, damaged, non-functional) –
	The target has been engaged by the tool, and the firing chain or circuit

	cannot be completed.
С	<b>Live damaged (untriggered, damaged, still functional)</b> – The tool has engaged the target, but the possibility of the firing chain being completed exists.
D	<b>Live (untriggered, undamaged)</b> – the target has not been engaged by the tool, and the firing chanin or circuit remains active.
Е	Other. Describe below.

#### 7. Environment effects on Machine

Grade	Details
Α	No problem.
В	Mechanical problem.
С	Electrical problem.
D	Pneumatic problem.
E	Hydraulic problem.
G	Fuel problem
Н	Other. Describe below.

#### 8. Environment effects on Occupants

Grade	Details
Α	No effects.
В	Fatigued or other ailment after 0-1 hours work.
С	Fatigued or other ailment after 1-2 hours work.
D	Fatigued or other ailment after 2-3 hours work.
Е	Fatigued or other ailment after 3+ hours work.
G	Other. Describe below.

# 9. Ergonomics

Grade	Details
Α	Comfortable for occupants.
В	Easy to operate (possible to learn in a few hours).
С	Some discomfort for occupants.
D	Fairly easy to operate (possible to learn in a few days).
E	Uncomfortable for occupants
F	Difficult to operate (possible to learn in a few weeks).
G	Other. Describe below.

# 10. Operator Ability

Grade	Details
Α	At the required standard.
В	Below the required standard.
С	Other. Describe below.

#### 11. Maximum Driving Speed

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (km/h).
В	Less than manufacturer or MA Org. specifications/pre-tests (km/h).
С	Greater manufacturer or MA Org. specifications/pre-tests (km/h).
D	Other. Describe below.

#### 12. Maximum Operating Speed

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (m/min/cm).
В	Less than manufacturer or MA Org. specifications/pre-tests (m/min/cm).
С	Greater manufacturer or MA Org. specifications/pre-tests (m/min/cm).
D	Other. Describe below.

#### 13. Maximum Capacity for Cutting Vegetation

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (m²/h).
В	Less than manufacturer or MA Org. specifications/pre-tests (m²/h).
С	Greater manufacturer or MA Org. specifications/pre-tests (m²/h).
D	Other. Describe below.

#### 14. Maximum and Minimum Operating Temperature

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (°c).
В	Less than manufacturer or MA Org. specifications/pre-tests (°c).
С	Greater manufacturer or MA Org. specifications/pre-tests (°c).
D	Other. Describe below.

#### 15. Maximum Communications Range

Details
As per manufacturer or MA Org. specifications/pre-tests (m, km).
Less than manufacturer or MA Org. specifications/pre-tests (m, km).
Greater manufacturer or MA Org. specifications/pre-tests (m, km).
Other. Describe below.

#### 16. Maximum Ascending Slope

Grade Details
---------------

Α	As per manufacturer or MA Org. specifications/pre-tests (degrees).
В	Less than manufacturer or MA Org. specifications/pre-tests (degrees).
С	Greater manufacturer or MA Org. specifications/pre-tests (degrees).
D	Other. Describe below.

#### 17. Maximum Descending Slope

Details
As per manufacturer or MA Org. specifications/pre-tests (degrees).
Less than manufacturer or MA Org. specifications/pre-tests (degrees).
Greater manufacturer or MA Org. specifications/pre-tests (degrees).
Other. Describe below.

# 18. Maximum Traversing Slope

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (degrees).
В	Less than manufacturer or MA Org. specifications/pre-tests (degrees).
С	Greater manufacturer or MA Org. specifications/pre-tests (degrees).
D	Other. Describe below.

# 19. Maximum Working Hours

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (hr/min).
В	Less than manufacturer or MA Org. specifications/pre-tests (hr/min).
С	Greater manufacturer or MA Org. specifications/pre-tests (hr/min).
D	Other. Describe below.

#### 20. Self Deployment

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (m, km).
В	Less than manufacturer or MA Org. specifications/pre-tests (m, km)
С	Greater manufacturer or MA Org. specifications/pre-tests (m, km).
D	Other. Describe below.

# 21. Self Recovery

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests.
В	Less than manufacturer or MA Org. specifications/pre-tests.
С	Greater manufacturer or MA Org. specifications/pre-tests.
D	Other. Describe below.

#### 22. Minimum Turning Circle (radius)

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (m).
В	Less than manufacturer or MA Org. specifications/pre-tests (m).
С	Greater manufacturer or MA Org. specifications/pre-tests (m).
D	Other. Describe below.

#### 23. Reliability (consistency over period of time)

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (time/depth/ m²).
В	Less than manufacturer or MA Org. specifications/pre-tests (time/depth/m²).
С	Greater manufacturer or MA Org. specifications/pre-tests (time/depth/m²).
D	Other. Describe below.

#### 24. Fuel Consumption

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (lt/hr).
В	Less than manufacturer or MA Org. specifications/pre-tests (lt/hr).
С	Greater manufacturer or MA Org. specifications/pre-tests (lt/hr).
D	Other. Describe below.

#### 25. Maximum Demining Width

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (m, cm).
В	Less than manufacturer or MA Org. specifications/pre-tests (m, cm).
С	Greater manufacturer or MA Org. specifications/pre-tests (m, cm).
D	Other. Describe below.

#### 26. Maximum Demining Depth

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (m, cm).
В	Less than manufacturer or MA Org. specifications/pre-tests (m, cm).
С	Greater manufacturer or MA Org. specifications/pre-tests (m, cm).
D	Other. Describe below.

# 27. Maximum Angle of Decline

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (degrees).
В	Less than manufacturer or MA Org. specifications/pre-tests (degrees).
С	Greater manufacturer or MA Org. specifications/pre-tests (degrees).
D	Other. Describe below.

#### 28. Maximum Angle of Elevation

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (degrees).
В	Less than manufacturer or MA Org. specifications/pre-tests (degrees).
С	Greater manufacturer or MA Org. specifications/pre-tests (degrees).
D	Other. Describe below.

# 29. Maximum Working Load

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests (tonne, kg, m³).
В	Less than manufacturer or MA Org. specifications/pre-tests (tonne, kg, m³).
С	Greater manufacturer or MA Org. specifications/pre-tests (tonne, kg, m³).
D	Other. Describe below.

#### 30. Safety / Fire Prevention

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests.
В	Less than manufacturer or MA Org. specifications/pre-tests.
С	Greater manufacturer or MA Org. specifications/pre-tests.
D	Other. Describe below.

# 31. Marking During Operations

Grade	Details
Α	As per MA Org. SOP and LibMAS.
В	As per MA Org. SOP, not as per LibMAS.
С	As per LibMAS, not as per MA Org. SOP.
D	Other. Describe below.

#### **32. Machine Operational Procedures**

Grade	Details
Α	As per MA Org. SOP and LibMAS.
В	As per MA Org. SOP, not as per LibMAS.
С	As per LibMAS, not as per MA Org. SOP.
D	Other. Describe below.

#### 33. Overlap (safety margin)

Grade	Details
Α	As per MA Org. SOP and LibMAS.
В	As per MA Org. SOP, not as per LibMAS.
С	As per LibMAS, not as per MA Org. SOP.
D	Other. Describe below.

#### 34. Skip Area (follow up)

Grade	Details
Α	As per MA Org. SOP and LibMAS.
В	As per MA Org. SOP, not as per LibMAS.
С	As per LibMAS, not as per MA Org. SOP.
D	Other. Describe below.

#### 35. Maximum Number of Passes (to achieve required objective)

Grade	Details
Α	As per MA Org. SOP and LibMAS.
В	As per MA Org. SOP, not as per LibMAS.
С	As per LibMAS, not as per MA Org. SOP.
D	Other. Describe below.

# 36. Inspection of Ground (follow-up)

Grade	Details			
Α	Manual.			
В	Mechanical.			
С	MDD.			
D	Other. Describe below.			

#### 37. Inspection of Machine (follow-up)

Grade	Details				
Α	As per MA Org. SOP and LibMAS.				
В	As per MA Org. SOP, not as per LibMAS.				
С	As per LibMAS, not as per MA Org. SOP.				

D	Other. Describe below.

# 38. Maximum Targets Located

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests.
В	Less than manufacturer or MA Org. specifications/pre-tests.
С	Greater manufacturer or MA Org. specifications/pre-tests.
D	Other. Describe below.

#### 39. Maximum Targets Detonated

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests.
В	Less than manufacturer or MA Org. specifications/pre-tests.
С	Greater manufacturer or MA Org. specifications/pre-tests.
D	Other. Describe below.

#### 40. Maximum Targets Destroyed

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests.
В	Less than manufacturer or MA Org. specifications/pre-tests.
С	Greater manufacturer or MA Org. specifications/pre-tests.
D	Other. Describe below.

#### 41. Ground Processed – excavated, crushed, sifted

Grade	Details				
Α	As per manufacturer or MA Org. specifications/pre-tests.				
В	Less than manufacturer or MA Org. specifications/pre-tests.				
С	Greater manufacturer or MA Org. specifications/pre-tests.				
D	Other. Describe below.				

#### 42. Protection for Machine (Survivability)

Details				
As per manufacturer or MA Org. specifications/pre-tests.				
Less than manufacturer or MA Org. specifications/pre-tests.				
Greater manufacturer or MA Org. specifications/pre-tests.				
Other. Describe below.				
- Carlott December Bellett				

# 43. Protection for Occupants (Survivability)

Grade	Details
Α	As per manufacturer or MA Org. specifications/pre-tests.
В	Less than manufacturer or MA Org. specifications/pre-tests.
С	Greater manufacturer or MA Org. specifications/pre-tests.
D	Other. Describe below.

# 44. Quality Assurance / Quality Control

Grade	Detailscm
Α	Manual.
В	Mechanical.
С	MDD.
D	Other. Describe below.

#### **TEST RESULTS**

Class	Grade/s	Remarks	Yes	No	N/A
1. Soil					
2. Vegetation					
3. Terrain					
4. Climate					
5. Target					
6. Mine/ERW Evidence					
7. Environment on Machine					
8. Environment on Occupants					
9. Ergonomics					
10. Operator Ability					
11. Max Driving Speed					
12. Max Operating Speed					
13. Max Capacity for Cutting Vegetation					
14. Max & Min Operating Temp					
15. Max Comms Range					
16. Max Ascending					

Clana		I	
Slope			
17. Max Descending		Ш	ш
Slope	<del>-  </del>		
18. Max Traversing		Ш	ш
Slope			
19. Max Working			
Hours			
20. Self Deployment			
21. Self Recovery			
21. Sell Necovery			
22. Min Turning	$\sqcap$		
Circle (radius)			
23. Reliability			
24. Fuel			
Consumption			
25. Max Demining			
Width			
26. Max Demining			
Depth			
27. Max Angle of			
Decline			
28. Max Angle of			
Elevation			
29. Max Working			
Load			
30. Safety / Fire			
Prevention			
31. Marking During			
Operations			
32. Machine			
Operational			
Procedures			
33. Overlap (safety			Ш
margin)			
34. Skip Area (follow		Ш	
up)			
35. Max Number of			
Passes 26 Inspection of			
36. Inspection of Ground			
37. Inspection of	-		
Machine			
38. Max Targets	$\overline{}$		
Located			
39. Max Targets	$\vdash$	$\vdash \sqcap$	
Detonated			
40. Max Targets			
Destroyed			
41. Ground			
Processed			
42. Protection for			П
Machine			
43. Protection for			

Occupants.							
44. QA / QC							
SUMMARY OF ON-SITE ASSESSMENT							
Machine	Operational To		Tool	Max Demining	Target		
Category	Deploymer	<u>it</u>		Depth (m, cm)			
OVERALL RES	OVERALL RESULTS OF ON-SITE ASSESSMENT						
Acceptable	Unacce	ptak	ole 🗌				
On-going Assess	sment [	<u> </u>	detail reasons bel	ow) <u>Proposed</u>	d Date:		
Re-Assessment							
Assessing Organisation Comments / Recommendations							

Demining Organisation C		
Insert Diagram if Require	ed:	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	
Insert Diagram if Require	<u>ed</u> :	

#### **AGREED BY**

Assessing	1.	Mine Action	1.
Organisation	2.	Organisation	2.
	3.		3.
Position	1.	Position	1.
	2.		2.
	3.		3.
Name	1.	Name	1.
	2.		2.
	3.		3.
Department / Unit	1.	Department / Unit	1.
	2.		2.
	3.		3.
Signature(s)	1.	Signature(s)	1.
	2.		2.
	3.		3.
Date		Date	